INDEX

Abbott, W. S., 397–402
Achatodes zeæ, 267, 268
Acrolophus arcanellus, 260
  mortipennellus, 260
Aegeria opalescens, 427
Alabama argillacea, 467
Aleurocanthus woglumi, 269
American Association of Economic Entomologists
  Committees, standing, ix
  Constitution, amendments, 14, 23
  Meetings, list of, x
  Members, list, xii
  Membership committee, 17
  Nomenclature committee, 7
  Nominations committee, 23
  Officers, ix
  Pacific Slope Branch, 220, 281–345
  Proceedings, 1–24
  Resolutions committee, 16
  Secretary, report of, 2
Anal comb, 446–447
Anarsia lineatella, 84
Anthrenus verbasci, 273
Aphis avenæ, 363–386
  houghtonensis, 433–437
  pomi, 363–386
  sorbi, 142, 363–386
Aphomia gularis, 407
Argentine ant, 465
Arilus cristatus, 466
Army worm, 272
Arsenate, lead, 429–433
Arsenious oxide, crude, 200–203
Arzama obliqua, 267

Baker, A. C., 433–437
Ball, E. D., 24–35, 149–154
Barber, G. W., 466
Bassus stigmaterus, 177
Beet leafhopper, 303–308, 312–326
Bishopp, F. C., 210
Black leaf 40, 71, 74, 77, 78
  scale, 336
Bordeaux mixture, 256–257
Brassolis isthmia, 465
Britton, W. E., 71–73, 218, 351
Bronze apple-tree weevil, 426–429
Brooks, F. E., 462–464
Burgess, A. F., 136–141, 274, 408, 410
Burke, H. E., 105–108, 326–330

Cabbage aphis, false, 66
  root maggot, 219
Cadelle, 312
Caffrey, D. J., 92–98
Calandra granaria, 312
  oryzæ, 312
Campbell, R. E., 284–288
Campsomeris formosus, 455
  tasmaniensis, 455
Canadian bark beetles, 276
Cecidomyia destructor, 253
Ceromasia sphenophori, 457–459
Chapman, R. N., 66–70
Chicken lice, 397–402
Chicken mite, 402–404
Chiggers, 466
Chinch bug, 124, 274
Chloridea obsoleta, 229–233
  virescens, 267
Chrysanthemum gall midge, 162–164
Chrysobothris femorata, 326–330
  mali, 326–330
Chrysomyia macellaria, 210
Chrysophlyctis endobiotica, 86–90
Cicada septendecim, 467
Citrus mealy bug, 336
Clover-head weevil, 207
  leaf weevil, lesser, 206
  Tychius, 209
Cnemidocoptes gallinae, 402–404
Cockerell, T. D. A., 272, 345–347
Cocoanut butterfly, 465
Comb, anal, 446–447
Confused flour beetle, 312
Corn ear worm, 267
Cory, E. N., 81–83
Corythucha bellula, 441–446
Costa Rica insects, 269
Cotton moths, 467
Crambus hortuellus, 263
  leachellus, 263
  trisectus, 263
  vulgivagellus, 263
Cratægus lace bug, 441–446
Crosby, C. R., 128, 389–392
Cryptoripersia arizonensis, 298
Cynips gallætinctoriæ, 218
Cypress bark scale, 335

Daiphania nitidalis, 263, 264
Davis, J. J., 178–183, 200–203, 271, 274
Dean, G. A., 213–217
de Ong, E. R., 343–345, 407
Depressaria heracliana, 261
Detweiler, J. D., 206–209
Diarthronomyia hypogæa, 162–164
Diatræa saccharalis, 175
  saccharalis cramboides, 263
  zeacolella, 263
Dibrachys boucheanus, 348
Dickerson, E. L., 437–440

Doane, R. W., 308–312
Drosophila species, 41

Ear worm, 229–233
Economic Entomology, its foundations and future, 24–35
Economic Zoölogy, 276
Ehrhornia cupressi, 335
Elasmopalpus lignosellus, 262
Eleodes opaca, 183–194
Empoasca mali, 149–154
Entomology of disease, hygiene and sanitation, 42–47
Epilachna borealis, 393, 395
corrupta, 345–346
Epiurus alborictus, 237
indagator, 237
Eriophyes sp., 217
Etiella zinckenella, 262
Eulia pinatubana, 233–237
politana, 233
European corn borer, 92–98, 124, 218, 258, 351, 387–389, 405–406, 408
elm scale, 335, 351
Eutettex tenella, 303–308, 312–326
Euzenillia variabilis, 348
Euzenillopsis diatrææ, 176
Ewing, H. E., 466

Favor, E. H., 277
Felt, E. P., 124, 222, 271, 272, 273, 351, 408
Feltia annexa, 342
Ferris, G. F., 292, 330–333
Field experimentation methods, 178–183
Fink, D. E., 393
Flat grain beetle, 312
Flat-headed apple-tree borer, 326–330
Flies, dispersion by flight, 210–211
Flint, W. P., 178–183
Fluke, C. L., 256–257
Fontaria brunnea, 462–464
Ford, A. L., 213–217, 417–425
Frost, S. W., 408, 446–447
Fruit flies of Japan, 276

Galerucella cavicollis, 219
rufosanguinea Say, 219
Galls used by Indians, 217–218
Gipsy moth, 101
Goniocotes abdominalis, 397
Goodwin, W. H., 84, 148, 247–252
Gooseberry aphis, 433–437
Gossard, H. A., 58–64
Gossyparia spuria, 335, 351
Gracillaria azaleæ, 124
zachrysa, 124
Grain weevil, 312
Grasshopper control in Kansas, 213–217
Guyton, T. L., 162–164

Harmolita grandis, 417–425
Hartzell, A., 233–237 351
Haseman, Leonard, 218, 467
Hawley, I. M., 203–205, 271
Hawthorn lace bug, 441–446
Hayes, W. P., 109–117
Headlee, T. J., 35–41
Heliophila unipuncta, 272
Heliothis armigera, 232
obsoleta, 267, 268, 346
Herbert, F. B., 333–337
Herrick, G. W., 206–209
Hessian fly, 60, 218, 252–255
High temperature fumigation, 148
Holloway, T. E., 175–178, 448–450
Honeysuckle leaf miner, 389–392
Housefly, 466
Howard, L. O., 124
Hunter, W. D., 166–175
Hydrocyanic acid, 300–302
liquid, 117–123, 357–363

Illingworth, J. F., 451–459
Index of Economic Entomology, 8
Injurious insects, 129
Insect Galls, Key to American, 222
Insects in wheat flour, 66–70
Insect pests, absence, 345–347
suppression, 136–141, 155–161
Iris borer, 267
Isosoma tritici, 63
vaginicolum, 60
Itoplectis conquisitor, 237

Japanese beetle, 84, 144, 247–252
Journal of Economic Entomology, report, 4, 21

Kelly, E. G., 213–217, 271
Kersosene emulsion, 71

Laake, E. W., 210
Lac insects, 330–333
Lachnodius phoradendri, 298
Lachnosterna crassima, 271
cribrosa, 238, 242–246
farcta, 238, 239–242
lanceolata, 109–117
Ladybird, spotted, 393–395
squash, 393, 395
Laemophloeus minutus, 312
Laria pisorum, 285
Larrimer, W. H., 417–425
Laspeyresia molesta, 347–348, 446, 447
pomonella, 446, 447
prunivora, 446, 447
Leaf hopper, potato, 256–257
Lecanium prunastri, 90–91
Leonard, M. D., 128, 389–392
Lepidosaphes beckii, 269
Lime, 429–433
Lime sulfur, 363–375, 429–433
Lithocolletes blancardella, 447
fragilella, 389–392

Lipeurus heterographus, 397
Llaveia hæmatoptera, 272
raddoni, 272
sanguinea, 272
Lochhead, Wm., 410
Loftin, U. C., 448–450
Lycophotia saucia, 342

Macronoctua onusta, 267
Macropsis virescens, 437–440
Macrosiphum solanifolii, 71–73
Magdalis ænescens, 426–429
May beetles, wingless, 238–247
McColloch, J. W., 124, 183–194, 252–255
Mealy bugs, 292–299
Megilla maculata, 393–395
Melanophila acuminata, 107
ænola, 108
californica, 108
consputa, 107
drummondi, 107
fulvoguttata, 108
gentilis, 107
intrusa, 108
miranda, 106
notata, 107
obtusa, 108
pini-edulis, 108
Melanoplus atlanis, 215
bivittatus, 214
differentialis, 214
Melittia satyriniformis, 260, 261
Menopon biseriatum, 397
pallidum, 397
Metzneria lappella, 260, 261
Millipeds, migrating, 462–464
Mite, depluming, 402–404
Miyake, T., 276
Mineola indiginella, 446
Molasses, 337–343
Monoptilota nubilella, 262
Morrill, A. W., 337–343
Mosher, Edna, 258–259, 387–389
Moznette, G. F., 426–429
Musca domestica, 466

Naphthalene, 397–402
National Museum, report of committee, 21
Nonagria oblonga, 267
Nosema apis, 269–270
Nicotine, 375–376
oleate, 77
solutions, 71, 349–351
sulfate solution, 162–164
Nursery insect pests, 133–135

O'Kane, W. C., 155–161
Oriental peach moth, 81–83, 347–348
Oriental fruit moth, 145–147
Ornix geminatella, 447

Papaipema cataphracta, 267
furcata, 267
nebris, 267
nitela, 267, 268
Parasite introduction, 175–178
Paratetranychus pilosus, 407
Parman, D. C., 211–213
Pectinophora gossypiella, 134, 166–175
Pellett, F. C., 128
Peridroma saucia, 342
Periodical Cicada, 467
Peterson, Alvah, 141, 363–386
Pheidole megacephala, 459
Phlebotomus attacking man, 211–213
vexator, 211
Phorbia brassicæ, 219
fusiceps, 203–205
Phormia regina, 210
Phthorimæa operculella, 261
Phytodietus pleuralis, 237
Phytonomus meles, 207
nigrirostris, 206
Pierce, W. D., 42–47
Pine tube moth, 233–237
Pink bollworm, 134, 166–175
Plant lice eggs, 141
Poison baits for grasshoppers, 194–200
Popillia japonica, 247–252
Potato aphis, 64, 71–73
leaf hoppers, 149–154, 256–257
wart disease, European, 86–90
Presidential address, discussion, 48–58
Pseudococcus aurilanatus, 336
bromeliæ, 293, 296
citri, 336
citrophilus, 292
comstocki, 294
gahani, 292, 336
longispinus, 336
maritimus, 336
pini, 293, 295
virgatus, 293, 297
quercus, 298
Psychoda alternata, 35–41
Pyrausta futilalis, 264, 267
illibalis, 264, 267
nubilalis, 92–98, 124, 218, 263, 264, 265, 266, 351, 387–389, 408
penitalis, 264, 265, 266, 351, 387–389

Quaintance, A. L., 144–147
Queen rearing, practical, 128

Red clover disease, 460–462
pests, 206–209
Reese, A. M., 276
Rhabdocnemis obscurus, 269, 457
Rhizopertha dominica, 312
Rice weevil, 312
Ricker, W. A., 194–200
Riley, W. A., 41, 217–218

Robinson, R. H., 429–433
Rosy aphis, 143
Rounds, M. B., 300–302

Safro, V. I., 74–76, 349–351
Saissetia oleæ, 336
Sanders, J. G., 86–90, 90–91
San Jose scale, 272
Sarcophaga prohibita, 116
Sasscer, E. R., 133–135
Saw-toothed grain beetle, 312
Sciara coprophila, 271
  trifolii, 461
Seed-corn maggot, 203–205
Seed sterilization, 343–345
Severin, H. H. P., 303–308, 312–326
Shade tree insects, 333–337
Silvanus surinamensis, 312
Sitotroga cerealella, 261
Smith, H. S., 288–292
Smith, M. R., 465
Smith, R. C., 229–233
Smith, R. H., 460–462
Sodium fluoride, 403, 404
Sparganothis indæusalis, 446
Spindle worm, 267
Sprinkling sewage filter fly, 35–41
Stable fly, 466
Stearns, L. A., 347–348
Stomacoccus platani, 336
Stomoxys calcitrans, 466
Stookey, E. B., 220
Sturtevant, A. P., 270
Successful spraying, 277
Sugar-cane beetle borer, 457–459
  borer, 269
  grubs, 451–457
  insects, 448–450
Swaine, J. M., 276
Syrup, 337–343

Tachardia larræ, 330
Tenebrioides mauritanicus, 312
Tischeria malifoliella, 447
Tmetocera ocellana, 446
Toad, 124
Tribolium confusum 69, 312
  ferrugineum, 312
Trichogramma minuta, 82
  minutum, 176
Trombidium striaticeps, 466
Turkeys, 274
Turner, C. F., 178–183
Tychius picirostris, 203
Tylenchus dipsaci, 460–462

Van Dyke, E. C., 219
Vegetable-garden insects, manual, 128
Vickey, R. A., 238–247

War service, report on, 9
Washburn, F. L., 129
Weevil control, 284–288
Weevils, wheat, 308–312
Weiss, H. B., 437–440
Wellhouse, W. H., 396–397, 441–446
Wheat survey, Ohio, 58–64
Wheel bug, 466
White grubs, 451–457
  breeding, 455–457
White pine blister rust, 102, 103
Wilson, T. S., 238–247
Woglum, R. S., 117–123, 300–302, 357–363
Wood, H. P., 402–404

Xanthonia villosula, 396–397

Zappe, M. P., 71–73
Zetek, James, 269, 465